

WARNING
KEEP OUT OF REACH OF CHILDREN



GRO-B®



BORON

FOR FOLIAR CORRECTION OR PREVENTION
OF BORON DEFICIENCIES

grochem

Contains: 17.5% Boron (as boric acid).

PLEASE READ LABEL AND SAFETY DATA SHEET COMPLETELY BEFORE USE

Causes serious eye irritation. Suspected of damaging fertility or the unborn child. May cause long lasting harmful effects to aquatic life.

DIRECTIONS FOR USE

ALWAYS FOLLOW LABEL INSTRUCTIONS.

- Dissolve Gro-B in hot water before addition to the spray tank. Fill the spray tank until three quarters full with water and then, whilst agitating the spray tank, add the Gro-B via the top filter. Continue agitation until application complete. Always apply diluted mixed chemicals immediately, do not store.
- Tank mixing or co-application. Read all labels carefully and adhere strictly to instructions on mixing. Apply to small test area when using unfamiliar products or new crops. Many variables are outside the control of AgriNova and can influence results of co-applied products and therefore co-application is entirely at the risk of the end user.
- Gro-B should be applied in low light conditions in the morning or evening or on cloudy days. Do not apply during periods of high sunlight, heat, during rain or prior to expected rain.
- Where a deficiency is severe, additional applications may be required.
- Storage – keep locked up in a cool, dry climatic store, out of reach of children and animals. Protect from frost and other climatic extremes (including temperatures exceeding 40°C).
- Poor water quality may reduce the effectiveness of the product, the solubility of the product and/ or increase the potential for phytotoxic effects on plants.
- Avoid release to the environment.

DISPOSAL: Dispose of product by using as directed on this label or at an approved landfill. Triple-rinse the empty container into the spray tank and deliver to an Agrecovery collection depot.

STORAGE: Store locked up.

SAFETY DATA SHEET: A Safety Data Sheet should be available at all work places where Gro-B is stored or used (available from Grochem or www.grochem.com)

FIRST AID: DO NOT handle until all safety precautions have been read and understood. Use personal protective equipment as required. If exposed or concerned: Get medical advice/attention. DO NOT induce vomiting. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs, get medical advice. IF INHALED: Move patient to fresh air and sit in a position comfortable for breathing.
24-hour Emergency Telephone Number – For advice contact the National Poisons Centre – 0800 POISON (0800 764 766) – or a doctor, immediately. Have product container or label at hand.

For specialist advice in an emergency only, call CHEMCALL (24hrs) 0800 243 6225. In a transport emergency dial 111.

CONDITIONS OF SALE: Grochem®, a brand of ADAMA New Zealand Limited (Grochem) will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than the responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by the Statutes applicable to the sale and supply of these goods. To the extent allowed by such Statutes the liability of Grochem is limited to the replacement of the goods or (at the option of Grochem) the refund of the price paid and is conditional upon a claim being made in writing and where possible sufficient part of the goods to enable proper examination being returned to Grochem within thirty days of delivery. Approved Pursuant to the HSN0 Act 1996, under the Fertilisers – Subsidiary Hazard group standard HS002571. See www.epa.govt.nz for approval conditions

APPLICATION RATES: Mixing – To dissolve requires a min of 20L water per 1kg of Gro-B. Pre-dissolve in bucket before adding to tank (Hot water will help).

CROP	RATE/HA	MIN WATER RATE/HA	RECOMMENDATIONS
Avocado	0.5-1kg	500L	Apply at spring bud development and again during spring flush.
Berries	0.5-1kg	250L	Apply at shoots 10cm and again prior to flowering.
Brassica	1-1.5kg	200L	Apply at 4-9 leaf stage and again during stem extension if required.
Canola	0.5-1kg	200L	Apply at 4-9 leaf stage and again at onset of stem extension if required.
Carrots	1.5kg	200L	Apply when sufficient leaf area to intercept spray.
Citrus	0.5-1kg	500L	Apply at white bud or when buds begin to separate.
Cucurbits	1kg	200L	Apply at 4-6 leaf stage and again 10-14 days later if required.
Grapevines	0.75kg	500L	Apply at flower truss visible, flower buds separated and after fruit set.
Kiwifruit	1kg	500L	Apply at budburst.
Legumes	0.5-1kg	200L	Apply at 10-15cm high and again 10-14 days later.
Lettuce	1kg	200L	Apply 10-14 days after emergence and reapply as required.
Maize/Corn	1-2kg	200L	Apply between 4-8 leaves stage.
Olive	1.25kg	500L	Apply at bud break and again at opening of calyx.
Onions	1kg	200L	Apply when sufficient leaf area to intercept spray and again 10-14 days later.
Pipfruit	0.5-1kg	500L	Apply at pink bud and post harvest.
Potatoes	1kg	200L	Apply 10-14 days after 100% crop emergence and again 10 days later.
Stonefruit	0.5-1kg	500L	Apply at bud burst and again at white/pink bud and at post-harvest.
Tomato	1kg	200L	Apply from when plants are 15cm high and repeat 10-14 days apart as required.



NET CONTENTS

10KG

GROB/0525

MANUFACTURED BY: ADAMA New Zealand Ltd.

DISTRIBUTED BY: Grochem®, a brand of ADAMA New Zealand Ltd.

Level 1, 93 Bolt Road, Tahunanui, Nelson 7011

PO Box 1799, Nelson 7040 New Zealand

Telephone 0800 447 624 Email: grochem@grochem.com Website: grochem.com