

**WARNING**  
**KEEP OUT OF REACH OF CHILDREN**



# SPRAY AID™

**SPRAY ADJUVANT**

*grochem*

Contains: Glycols and Glycol Ethers as a soluble concentrate.



NET CONTENTS

**20L**

GCSAID/0525

**MANUFACTURED BY:** ADAMA New Zealand Ltd  
**DISTRIBUTED BY:** Grochem®, a brand of ADAMA New Zealand Limited, Level 1, 93 Bolt Road, Tahunanui, Nelson 7011  
PO Box 1799, Nelson 7040 New Zealand  
Telephone 0800 447 624 Email: [grochem@grochem.com](mailto:grochem@grochem.com)  
Website: [grochem.com](http://grochem.com)



# SPRAY AID™

PLEASE READ LABEL AND SAFETY DATA SHEET COMPLETELY BEFORE USE

**Combustible liquid. Keep away from heat/sparks/open flames/hot surfaces. Harmful if swallowed. Causes serious eye irritation. Hazardous to terrestrial vertebrates.**

**THIS PRODUCT MUST NOT BE USED FOR ANY PURPOSE OR ANY MANNER CONTRARY TO THIS LABEL.**

**FIRST AID:** Call a POISON CENTRE or doctor/physician if you feel unwell. If medical advice is needed, have product container or label at hand.

**IF SWALLOWED:** Rinse mouth. Immediately call a POISON CENTER/Doctor.

**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

**IF ON SKIN:** If skin irritation occurs, get medical advice/attention.

**IF INHALED:** Remove to fresh air and keep at rest in a position comfortable for breathing.

**24-hour Emergency Telephone Number for advice contact the National Poisons Centre – 0800 POISON (0800 764 766) – or a doctor, immediately.**

**For specialist advice in an emergency only, call 0800 CHEMCALL (24hrs) or 0800 243 6225.**

**In a transport emergency dial 111.**

**STORAGE & TRANSPORT:** Store in a cool, well ventilated place.

**HANDLING ADVICE:** Wear gloves and face protection. Do not breathe spray. Do not eat, drink or smoke while using this product. Wash hands and exposed skin thoroughly after handling. Take off contaminated clothing and wash before reuse. Use only outdoors or in a well ventilated area. In case of fire: use dry powder, foam, water or water mist to extinguish.

**SAFETY DATA SHEET:** A Safety Data Sheet is available from Grochem or [www.grochem.com](http://www.grochem.com)

**DISPOSAL: Product disposal:** Reprocess or burn in an approved incinerator in accordance with all local regulations at an approved waste disposal facility. Do not contaminate water supplies/pollute public waters. Do not flush to sewer. **Container Disposal:** Rinse container into spray tank. Recycle empty container with Agrecovery.

**CONDITIONS OF SALE:** Grochem®, a brand of ADAMA New Zealand Limited (Grochem) will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than the responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by the Statutes applicable to the sale and supply of these goods. To the extent allowed by such Statutes the liability of Grochem is limited to the replacement of the goods or (at the option of Grochem) the refund of the price paid and is conditional upon a claim being made in writing and where possible sufficient part of the goods to enable proper examination being returned to Grochem within thirty days of delivery.

Approved Pursuant to the HSNO Act 1996, Additives, Process Chemicals and Raw Materials (Combustible) Group Standard, No HSR002490. See [www.epa.govt.nz](http://www.epa.govt.nz) for approval controls.

## DIRECTIONS FOR USE:

Spray Aid is a water soluble, non-ionic spreader-activator for use in improving the effectiveness of foliar applied plant growth regulators or streptomycin. The addition of Spray Aid minimises the differences in NAA absorption resulting from different environmental conditions and enhances the uptake under conditions normally unfavourable for adsorption.

**APPLICATION RATES:** The use of Spray Aid will range from 65mL to 250mL per 100L of spray solution. Always follow the label directions for the product being used.

**The following rates are suggested:**

SPRAY	RATE/100L
Ambitious	125-250ml
BAPSoL	125-250ml
Ethin, Ethryl, Ethepon	250ml
GIB-47	100ml
Growth, Ga-3	100-250ml
Meteor	125ml
NAA 100/ANA	200-300ml
NAA plus Carbaryl	200ml
Streptomycin	125-250ml